



## Behavioral

Crying	80%	87%	0%	0%	33%			40%
Hyperactivity	70%	16%	33%	33%				38%
Inflexibility	65%	0%	(16%)	44%	33%	12%	44%	26%
Nail Biting	57%							57%
Poor Eye Contact	62%	0%	40%	50%				38%
Poor social/emotional Reciprocity	62%	22%	37%	50%				42%
Stimming	42%	(14%)	22%	14%				16%
Impulsivity	57%	25%	25%	40%				36%
Lack of Social Interest	77%	70%						73%
Class Clown	30%							30%
Rages	85%							85%
Excessive Talking	20%							20%
Aggression	0%							0%
Oppositional/Defiant Behaviors/Compulsive	12%	0%	83%					31%
Scripting from Movies	28%							28%
Flicking/Covering Ears	100%							100%
Poor Speech Articulation	25%	0%						12%
Addictive Behaviors	42%							42%
Binging & Purging	50%							50%
Lack of Sense of Humor	25%							25%

## Emotional

Agitation	77%	0%	25%	0%	40%	40%		30%
Anxiety	80%	(16%)	13%	25%	50%			32%
Mood Swings	87%							87%
Emotional Reactivity	80%	60%	25%	33%				55%
Impatience	62%	14%	12%	33%	44%			33%
Lack of Emotional Awareness	55%	12%	44%					37%
Lack of Social Awareness	77%	12%	25%					38%
Fears	(75%)	0%	50%	44%				6%
Flashbacks of Trauma	75%							75%
Difficult to Soothe	28%	75%	(25%)	50%	0%			25%
Easily Embarrassed	60%							60%
Low Self-Esteem	60%							60%
Anger	0%							0%
Depressions	16%							16%
Obsessive Negative Thoughts	14%							14%
Obsessive Worries	25%	62%	50%					45%
Lack of Pleasure	28%							28%
Irritability	28%	25%						16%
Muscle Weakness/Hyperflexibility	50%							50%
Oral Motor Seeking	22%							22%

## Physical

Low Muscle Tone	71%	90%	62%	75%	16%	50%	52%
Poor Gross Motor Coordination	75%	90%	66%	12%	37%		46%
Clumsiness	66%	77%	0%	50%			48%
Effort Fatigue	90%	20%	62%				57%
Rigidity	90%						90%
Awkward when Running	77%						77%
General Fatigue	75%	75%					75%
Poor Balance	77%	20%	50%				49%
Muscle Weakness	40%						40%
Poor Fine-Motor Coordination	40%	37%	50%				44%
Slow to React	57%						57%
Slow to follow Directions	50%						50%
Using only one hand to perform tasks (bilateral coordination)	55%						55%
Grading pressure for tasks	62%						62%
Speed & Rhythmicity of Movement	62%						62%
Difficulty walking or moving	66%						66%
Sugar Craving & Reactivity	55%						55%
Constipation	0%						0%
Messy Handwriting	0%						0%
Resistance to New Foods	57%						57%

## Sleep

Difficulty Maintaining Sleep	(12%)	88%	87%				54%
Difficulty Falling Asleep	44%	87%	0%	66%	88%		57%
Nocturnal Enuresis	0%						0%
Restless Legs	20%						20%
Snoring	0%						0%
Talking During Sleep	25%						25%